

# Bike racks on buses

## Instructions for Cyclists


### Loading bikes

1. Loading of bikes is only permitted at signed bus stops.
2. Before the bus arrives remove water bottles, pumps and any loose items that may fall off while the bus is moving.
3. Inform the driver you will be loading your bike/s. Load from the kerbside in front of the bus. For convenience, load the first bike to the inner rack.

4. Lift up the yellow lever on the bike rack to release the latch and then fold down the bike rack.



5. Squeeze in the button on the Support Arm and lift over and lower it fully to its horizontal position.



6. Lift your bike/s onto the rack, fit your front and back wheels into the clearly labelled slots.



7. Raise the Support Arm up and over the front tyre so that the hook rests at the highest point on the front wheel. Push down to click the support arm into the hold position.



8. Connect the strap to the rear wheel and tighten this in place. Board the bus.



### Unloading bikes

1. Unloading of bikes is again only permitted at signed bus stops.
2. Exit the bus from the front doors and inform the driver you will be unloading your bike/s. Unload from the kerbside in front of the bus.
3. Release the rear wheel strap holding down the rear wheel.

4. Squeeze in the button, lift and lower the support arm fully to the horizontal position.



5. Lift your bike out of the bike rack towards the kerbside.



6. Lift up the yellow lever to fold up the bike rack. If no one else is using the rack, please fold it up.

